


WORLD WIDE WEAVING MACHINES

TMR 2000

TEXO®

TMR-2000 High Speed Heavy-duty Rapier Loom for dryer/filtration





Max. weaving width:	Up to 15,5 meter
Total machine width:	Weaving width + 5,7 meter
Total machine height:	2,7 meter incl. foundation
Total machine depth:	6,8 meter including weaver's bridge, wind-up and two warp beams
Loom speed:	50 to 55 picks/minute for 12,5 m weaving width
Max. warp tension:	1500 kg/meter
Max. beat-up tension:	3000 kg/meter
DOBBY:	TEXO TCD
Max dobbie capacity:	18 harness frames with 20 mm pitch
Loom drive:	Crank shaft and AC servo drive
Weft insertion system:	Middle transfer rapier
Max wefts:	8 wefts presenters
Weft diameter span:	0,17 - 1,00 mm

TMR2000 is a loom developed specifically for the production of Dryer and Industrial fabric.

TMR2000 is developed from very well-known technology such as:

- TEXO and rapier with its "POZI-GRIP" system
- TEXO "TCD" Dobby system
- Loom Control system "LoCoMo III"


and many other high "tech" features developed by TEXO through many years of experience in the industry.

WORLD WIDE WEAVING MACHINES

TEXO's goal is to increase the value and profitability of our customer's business with the help of customized products and comprehensive service.

Since our founding in 1943, we have developed, designed and supplied over 1,100 weaving machines over the years.

TEXO's headquarter is located in Älmhult, Sweden with manufacturing facilities in Sweden and China. Our subsidiaries, TEXO Inc. in Greenville SC, USA and TEXO Pacific Co., Ltd in Shanghai, China are responsible for sales and support in their geographical areas.



TEXO AB

Box 602

SE-343 24 Älmhult

Tel: +46 476-560 00

E-mail: sales@texo.se

www.texo.se

